



May 14, 2012

Re: Formolene® Linear Low Density Polyethylene (LLDPE) Products Approved for Food Contact in the European Union

Dear Valued Customer:

The following FPC USA products meet the food contact requirements for plastic materials covered under Directive 2011/10/EU. All monomers used in Formolene® linear low density polyethylene products are approved. Additives that are subject to restrictions, such as a Specific Migration Limit (SML), are defined below. If no SML is identified, then the regulation specifies 10 mg/dm² as the maximum overall migration from finished articles. In accordance with the EU Directive, migration should be measured using appropriate food stimulants or actual foodstuff at the real time and temperature conditions of use.

Linear Low Density Polyethylene – Hexene Copolymers

Resin	CAS Number	SML
L62009A	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L62009E2	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L62009H	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L62009X	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L62022B	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L62030B	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L62608PA	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L62608PE	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L63550U/4	26741-53-7	0.6 mg/kg
	122-20-3	5 mg/kg
	50-00-0	15 mg/kg
	40601-76-1	6 mg/kg
L63565	26523-78-4	30 mg/kg

Linear Low Density Polyethylene – Hexene Copolymer (continued)

Resin	CAS Number	SML
L63565U4	26741-53-7	0.6 mg/kg
	122-20-3	5 mg/kg
	50-00-0	15 mg/kg
	40601-76-1	6 mg/kg
L63568	26523-78-4	30 mg/kg
L63568U	26741-53-7	0.6 mg/kg
	122-20-3	5 mg/kg
	50-00-0	15 mg/kg
	40601-76-1	6 mg/kg
L63935U/4	26741-53-7	0.6 mg/kg
	122-20-3	5 mg/kg
	50-00-0	15 mg/kg
	40601-76-1	6 mg/kg
L64220U/4	26741-53-7	0.6 mg/kg
	122-20-3	5 mg/kg
	50-00-0	15 mg/kg
	40601-76-1	6 mg/kg

Linear Low Density Polyethylene Butene Copolymer

Resin	CAS Number	SML
L42009A	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L42009B	2082-79-3	6 mg/kg
L42009E2	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L42009F	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L42009H	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L42009PE	7727-43-7	1 mg/kg
	2082-79-3	6 mg/kg
L42009M	2082-79-3	6 mg/kg
L42022B	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L42022E2	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg

FORMAX™ High Strength LLDPE – Hexene Copolymer

Resin	CAS Number	SML
DL71709A	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
DL71709E	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
DL71709H	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg

FORMAX™ High Strength LLDPE – Hexene Copolymer (continued)

Resin	CAS Number	SML
DL71709S	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg

FORMAX™ High Performance LLDPE – Hexene Copolymer

Resin	CAS Number	SML
L91507A	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L91507E2/E3	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg
L91507H	26523-78-4	30 mg/kg
	2082-79-3	6 mg/kg

Polyethylene Injection Molding Grades

Resin	CAS Number	SML
LH5204	No Additives with Restrictions	-
LH5206	No Additives with Restrictions	-
LH5212	26523-78-4	30 mg/kg
LH5214	No Additives with Restrictions	-
LH5240	26523-78-4	30 mg/kg
LH5320	No Additives with Restrictions	-
LH6008	No Additives with Restrictions	-
LH6008U	26523-78-4	30 mg/kg

In all food applications, we recommend that the packager or manufacturer of the final product conduct appropriate tests to evaluate the possible contribution of the container to the aroma, taste and color of the food product.

If you have questions regarding EU food contact compliance for any Formosa Plastics Corporation product, please contact your Sales Representative.

Kind Regards,



Fred W. Neske, CIH, CSP, CFPS
Manager – Corporate Safety & Industrial Hygiene

IMPORTANT NOTICE:

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.

