

Safety Data Sheet

according to 29 CFR 1910.1200 and 1907/2006/EC, Article 31

Date Printed: 12/20/2021

Version 11

Date Reviewed: 12/10/2021

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

- **Product Identifier:** Formolon® Dispersion PVC Homopolymer
 - **Synonyms:** Dispersion/Paste Polyvinyl Chloride Homopolymer
 - **Product Code:**
F10, F24A, F28, F34, F74, FKVF, FKVH, FNVA
Discontinued Products: F25, F28A, F38, F38A, F1071, FNVW
 - **Product Use:** Resin, extrusion and compounding, plastic molding, molded articles, films and coatings.
 - **Manufacturer/Supplier:**
Formosa Plastics Corporation, Texas
201 Formosa Drive
Point Comfort, TX 77978 USA
+1 (361) 987-7000
E-Mail: MSDS@fpcusa.com
 - **EU REACH Representative:** Intertek France
 - **UK REACH Representative:** Intertek Testing Services (UK) Limited
 - **Business Division:** Specialty (Dispersion) PVC
-
- **Emergency Telephone Number:**
In case of a chemical emergency, contact CHEMTREC (24 hrs) at:
+1 (800) 424-9300 (United States, Canada, Puerto Rico, Virgin Islands)
+1 (703) 527-3887 (International & Maritime)

Section 2: Hazards Identification

- **Hazard Classification:**
Eye Irrit. 2B H320 Causes eye irritation.
- **Other Hazards:** Combustible dust. May form combustible dust concentrations in air.
- **Hazard Pictograms:** Not Applicable
- **Signal Word:** WARNING
- **Precautionary Statements:**
P264 Wash thoroughly after handling.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical attention.

- **NFPA Ratings (scale 0 - 4):**



- **Additional Information:**
Hazard classification H320 is listed according to GHS and OSHA HCS requirements. H320 is not an applicable EU CLP health hazard classification.

(Contd. on Page 2)

— FPC —

Safety Data Sheet

according to 29 CFR 1910.1200 and 1907/2006/EC, Article 31

Date Printed: 12/20/2021

Version 11

Date Reviewed: 12/10/2021

Product Identifier: Formolon® Dispersion PVC Homopolymer

(Contd. from Page 1)

If you do not understand the hazards or safety precautions described in this data sheet, contact your supervisor or safety administrator before handling this product.

* Section 3: Composition/Information on Ingredients

· **Chemical Characterization: Mixtures**

· **CAS No. Description**

9002-86-2 polyvinyl chloride	>95%
SPVC Trade Secret Surfactant 1213	<1.5%
⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
127087-87-0 α-(4-nonylphenyl)-ω-hydroxy poly(oxy-1,2-ethanediyl), branched	0.1-1%

· **Substances of Very High Concern (SVHC):**

127087-87-0 α-(4-nonylphenyl)-ω-hydroxy poly(oxy-1,2-ethanediyl), branched

· **Additional Information:** CAS number 127087-87-0 is only used in the F24A and F34 grades.

Section 4: First Aid Measures

· **General information:** Provide symptomatic and supportive care.

· **After Inhalation:**

Remove victim to fresh air.
Administer oxygen if breathing is difficult.
Administer artificial respiration if breathing has stopped.
Get medical assistance if irritation or other symptoms develop.

· **After Skin Contact:**

Wash affected area with soap and water.
Get medical assistance if irritation or other symptoms develop.

· **After Eye Contact:**

In case of accidental contact, immediately flush eyes with water.
Hold eyelids open to ensure adequate flushing.
Get medical attention.

· **After Swallowing:**

Administer 1-2 glasses of water to dilute ingested material.
Never give anything by mouth to an unconscious person.
Get medical attention.

· **Most Important Symptoms and Effects:** No further relevant information available.

Section 5: Firefighting Measures

· **Suitable Extinguishing Agents:** CO₂, extinguishing powder or water spray. Fight larger fire with water spray.

· **Special Firefighting Hazards:** Combustible dust. May form combustible dust concentrations in air.

· **Dust Explosivity (Kst) Rating:** St 1 - Weak to moderate explosive dust (Kst = 0-200 bar-meter/second)

(Contd. on Page 3)

Safety Data Sheet

according to 29 CFR 1910.1200 and 1907/2006/EC, Article 31

Date Printed: 12/20/2021

Version 11

Date Reviewed: 12/10/2021

Product Identifier: Formolon® Dispersion PVC Homopolymer

(Contd. from Page 2)

- **Protective Equipment:**

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved self-contained breathing apparatus (SCBA) and full protective clothing.

Section 6: Accidental Release Measures

- **Personal Precautions, Protective Equipment and Emergency Procedures:**

Avoid dust formation.

Restrict access to keep out unauthorized or unprotected personnel.

Wear appropriate personal protective equipment during all clean-up activities. See Section 8 for more information.

Avoid inhalation and direct contact.

- **Environmental Precautions:** Keep spilled material out of sewage/drainage systems and waterways.

- **Methods for Containment and Clean-Up:**

Collect spilled material using a method that controls dust generation such as a high efficiency particulate air (HEPA) vacuum.

Place waste in an appropriate container for disposal.

Use care during clean-up to avoid exposure to the material and injury from broken containers.

* Section 7: Handling and Storage

- **Precautions for Safe Handling:**

Avoid inhalation and direct contact.

Avoid dust formation.

Accumulations of dust should be removed from settling areas.

Follow good engineering and work practices, including routine housekeeping.

Promptly clean up spills to avoid slip and fall hazard.

- **Protection Against Fires and Explosions:**

Dust can combine with air to form an explosive mixture.

Take precautions against static discharge.

Transfer and store in properly bonded and grounded containers.

To determine required precautions, consult applicable standards such as NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (latest edition), and NFPA 499, Recommended Practice for the Classification of Combustible Dusts and of Hazardous (Classified) Locations for Electrical Installations in Chemical Process Areas.

- **Conditions for Safe Storage:**

Store in closed, properly labeled containers.

Protect containers from heat, physical damage, ignition sources and incompatible materials.

Have emergency equipment for fires and spills readily available.

- **Specific End Uses:** Resin, extrusion and compounding, plastic molding, molded articles, films and coatings.

- **Additional Information:**

If you do not understand the hazards or safety precautions described in this data sheet, contact your supervisor or safety administrator before handling this product.

— FPC —
(Contd. on Page 4)

Safety Data Sheet

according to 29 CFR 1910.1200 and 1907/2006/EC, Article 31

Date Printed: 12/20/2021

Version 11

Date Reviewed: 12/10/2021

Product Identifier: Formolon® Dispersion PVC Homopolymer

(Contd. from Page 3)

* Section 8: Exposure Controls/Personal Protection

· **Occupational Exposure Limits:**

9002-86-2 polyvinyl chloride

EL (Canada) Eight-Hour Value: 1 mg/m³WEL (Great Britain) Eight-Hour Value: 10* 4** mg/m³
*inhalable dust **respirable dustTLV (USA) Eight-Hour Value: 1* mg/m³
*as respirable fraction

· **Exposure Controls:** Use local exhaust ventilation during dust or mist producing operations.

· **General Protective and Hygienic Measures:**

Wash thoroughly after handling.

Avoid contact with the eyes and skin.

· **Respiratory Protection:**

An air-purifying respirator may be appropriate under limited exposure conditions.

Protection provided by air-purifying respirators is limited.

An industrial hygiene risk assessment is required to determine appropriate respiratory protection.

· **Hand Protection:**



Work gloves.

· **Eye/Face Protection:**



Safety glasses with side shields.

· **Body Protection:** Protective work clothing

· **Additional Information:**

If unusual exposures are expected, an industrial hygiene review of work practices, engineering controls and personal protective equipment is recommended.

Section 9: Physical/Chemical Properties

- **Form:** Powder
- **Color:** White
- **Odor:** Odorless
- **Odor Threshold:** Not determined.
- **pH Value:** Not determined.
- **Melting Point:** Not determined.
- **Boiling Point:** Not determined.
- **Flash Point:** Not applicable.

(Contd. on Page 5)

FPC

Safety Data Sheet

according to 29 CFR 1910.1200 and 1907/2006/EC, Article 31

Date Printed: 12/20/2021

Version 11

Date Reviewed: 12/10/2021

Product Identifier: Formolon® Dispersion PVC Homopolymer

(Contd. from Page 4)

- **Autoignition Temperature:** Not determined.
 - **Decomposition Temperature:** Not determined.
 - **Lower Explosive Limit (LEL):** Not determined.
 - **Upper Explosive Limit (UEL):** Not determined.
 - **Vapor Pressure:** Not determined.
 - **Density:** Not determined.
 - **Vapor Density:** Not applicable.
 - **Evaporation Rate:** Not applicable.
 - **Solubility in Water:** Insoluble.
 - **Partition Coefficient (n-octanol/water):** Not determined.
 - **Viscosity:** Not determined.
-

Section 10: Stability and Reactivity

- **Chemical Stability/Reactivity:** Stable if used and stored according to the specifications listed below.
 - **Conditions to Avoid:** Keep away from heat, sparks and open flames.
 - **Possibility of Hazardous Reactions/Incompatible Materials:** No dangerous reactions known.
 - **Hazardous Decomposition Products:** No data available.
-

Section 11: Toxicological Information

- **Acute Toxicity:** This product is not acutely toxic.
 - **Skin Irritation:** Based on available data, the classification criteria are not met.
 - **Eye Irritation:**
Causes eye irritation.
Eye irritant effects are based on extrapolation from the hazards of the ingredients combined with FPC USA's experience during occupational handling.
 - **Respiratory Irritation:** May cause respiratory irritation.
 - **Sensitization/Allergic Reaction:** No data available.
 - **Subchronic/Chronic Toxicity:** No data available.
 - **Additional Toxicological Information:**
 - **Substances Classified by IARC (International Agency for Research on Cancer):**
9002-86-2 polyvinyl chloride: 3
-

Section 12: Ecological Information

- **Aquatic Toxicity:** No data available.
- **Persistence and Degradability:** No data available.

(Contd. on Page 6)

— FPC —

Safety Data Sheet

according to 29 CFR 1910.1200 and 1907/2006/EC, Article 31

Date Printed: 12/20/2021

Version 11

Date Reviewed: 12/10/2021

Product Identifier: Formolon® Dispersion PVC Homopolymer

(Contd. from Page 5)

- **Bioaccumulative Potential:** No data available.

Section 13: Disposal Considerations

- **Disposal Instructions:**
Dispose of waste in accordance with applicable laws and regulations.
Maximize product recovery for reuse or recycling.

Section 14: Transport Information

- **UN Number:**
- **DOT, ADR, ADN, IMDG, IATA** Not Applicable
- **UN Proper Shipping Name:**
- **DOT, ADR, ADN, IMDG, IATA** Not Applicable
- **Transport Hazard Class(es):**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class:** Not Applicable
- **Packing Group:**
- **DOT, ADR, IMDG, IATA** Not Applicable
- **Environmental Hazards:** Not applicable.
- **Additional Information:**
- **DOT:**
- **Remarks:** This product is not regulated as a hazardous material/dangerous good for transportation.

Section 15: Regulatory Information

- **U.S. Superfund Amendments & Reauthorization Act (SARA) 355 (Extremely Hazardous Substances):**
None of the ingredients are listed.
- **U.S. Superfund Amendments & Reauthorization Act (SARA) 313 (Specific Toxic Chemical Listings):**
127087-87-0 α -(4-nonylphenyl)- ω -hydroxy poly(oxy-1,2-ethanediyl), branched
- **U.S. Toxic Substances Control Act (TSCA):**
All components have the value ACTIVE.
- **California Proposition 65 Carcinogens:**
PVC resin contains minor amounts (< 1 ppm on average; 0.0001%) of residual vinyl chloride monomer. Vinyl chloride is listed as a carcinogen under Proposition 65.
None of the ingredients is listed.
- **ACGIH (American Conference of Governmental Industrial Hygienists) Carcinogens:**
9002-86-2 polyvinyl chloride: A4

(Contd. on Page 7)

—FPC—

Safety Data Sheet

according to 29 CFR 1910.1200 and 1907/2006/EC, Article 31

Date Printed: 12/20/2021

Version 11

Date Reviewed: 12/10/2021

Product Identifier: Formolon® Dispersion PVC Homopolymer

(Contd. from Page 6)

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian Ingredient Disclosure List (limit 0.1%)

None of the ingredients are listed.

Canadian Ingredient Disclosure List (limit 1%):

SPVC Trade Secret Surfactant 1213

Container Labeling: Not Applicable

Hazard Pictograms: Not Applicable

Signal Word: WARNING

Hazard Statements: H320 Causes eye irritation.

Other Hazards: Combustible dust. May form combustible dust concentrations in air.

Precautionary Statements:

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical attention.

Directive 2012/18/EU Major Accident Hazards Involving Dangerous Substances:
Substances of Very High Concern (REACH Article 57):

127087-87-0 α -(4-nonylphenyl)- ω -hydroxy poly(oxy-1,2-ethanediyl), branched

Section 16: Other Information

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Formosa Plastics Corporation, U.S.A. at the time it was prepared. Formosa Plastics Corporation, U.S.A. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, Formosa Plastics Corporation, U.S.A. and its subsidiaries cannot guarantee that these are the only hazards that exist. Formosa Plastics Corporation, U.S.A. assumes no legal responsibility for loss, damage or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.

Department Issuing Safety Data Sheet: Corporate Environment, Health & Safety

Abbreviations & Acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labeling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

SVHC: Substances of Very High Concern

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on Page 8)

— FPC —

Safety Data Sheet

according to 29 CFR 1910.1200 and 1907/2006/EC, Article 31

Date Printed: 12/20/2021

Version 11

Date Reviewed: 12/10/2021

Product Identifier: Formolon® Dispersion PVC Homopolymer

(Contd. from Page 7)

Sources & References:

This Safety Data Sheet conforms to regulation 1907/2006/EC (REACH). This product has been classified in accordance with European CLP regulations (1272/2008/EC) and the U.S. Hazard Communication standard (29 CFR 1910.1200).

* - Indicates that data has been updated from the previous version.

FPC
