

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022

Version 7

Revision Date: 10/31/2022

1 Identification of the Substance/Mixture and of the Company/Undertaking

· Product Identifier: Hydrochloric Acid 32-35%

- · Synonyms: Hydrogen Chloride 32-35%
- · Product Application: Various industrial uses.

· Manufacturer/Supplier:

Formosa Plastics Corporation, Texas 201 Formosa Drive Point Comfort, TX 77978 USA +1 (361) 987-7000 E-Mail: MSDS@fpcusa.com

· Business Division: Chlor-Alkali

· Emergency Telephone Number:

In case of a chemical emergency, contact CHEMTREC (24 hrs) at:

- +1 (800) 424-9300 (United States, Canada, Puerto Rico, Virgin Islands)
- +1 (703) 527-3887 (International & Maritime)

2 Hazards Identification

· Classification of the Substance or Mixture:

Skin Corrosion 1BH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

· Hazard Pictograms:



· Signal Word: DANGER

· Hazard Statements:

H318 Causes serious eye damage. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

· Precautionary Statements:

P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P315	Get immediate medical attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local regulations.
	(Contd on Page 2)

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022

Version 7

Revision Date: 10/31/2022

(Contd. from Page 1)

32-35%

Product Identifier: Hydrochloric Acid 32-35%

· Additional Precautionary Statements:

P271 Use only outdoors or in a well-ventilated area.P321 Specific treatment (see Section 4 of SDS).P363 Wash contaminated clothing before reuse.P405 Store locked up.

· NFPA Ratings (scale 0 - 4):

 $\begin{array}{c} \textbf{Health} = 3\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$

· Additional Information:

If you do not understand the hazards or safety precautions described in this data sheet, contact your supervisor or safety administrator before handling this product.

3 Composition/Information on Ingredients

· Chemical Characterization: Mixtures

CAS No. Description

7647-01-0 hydrogen chloride

Skin Corrosion 1B, H314; Eye Damage 1, H318; 🔶 Acute Toxicity - Oral 4, H302;

Specific Target Organ Toxicity - Single Exposure 3, H335 • Additional Information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· General information:

Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas.

· After Inhalation:

Remove victim to fresh air. Administer oxygen if breathing is difficult. Administer artifical respiration if breathing has stopped. Onset of symptoms may be delayed up to 48 hours. Get immediate medical attention.

· After Skin Contact:

Remove contaminated clothing and shoes. Wash affected area with soap and water. Use caution to avoid spreading contamination while washing. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention.

After Eye Contact:

In case of accidental contact, immediately flush eyes with water. Hold eyelids open to ensure adequate flushing. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

· After Swallowing:

Rinse mouth. Administer 1-2 glasses of water to dilute ingested material.

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022

Version 7

Revision Date: 10/31/2022

Product Identifier: Hydrochloric Acid 32-35%

(Contd. from Page 2)

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical attention.

• Most Important Symptoms and Effects: No further relevant information available.

5 Firefighting Measures

· Suitable Extinguishing Agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

· Unsuitable Extinguishing Agents: None.

• Special Firefighting Hazards:

Decomposes when heated. Decomposition products may cause containers to rupture or explode. May react vigorously with organic materials. Depending on temperature and concentration, decomposition products may include hypochlorous acid, sodium oxide, chlorine gas, sodium chlorate and oxygen. Sodium chlorate crystals may cause fire or explosion if subjected to friction or impact.

Protective Equipment:

In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved self-contained breathing apparatus (SCBA) and full protective clothing.

· Additional Information: Evacuate all non-essential personnel from the danger area.

6 Accidental Release Measures

· Personal Precautions, Protective Equipment and Emergency Procedures:

In case of a spill or other accidental release of this material, contact your supervisor, safety administrator, or emergency response team immediately.

Restrict access to keep out unauthorized or unprotected personnel.

Stay upwind of spilled material.

Wear appropriate personal protective equipment during all clean-up activities. See Section 8 for more information.

Avoid inhalation and direct contact.

All clean-up personnel must be properly trained.

Environmental Precautions:

Keep spilled material out of sewage/drainage systems and waterways.

This product contains a U.S. EPA Reportable Quantity (RQ) substance. If amounts exceeding the Reportable Quantity are released, notification of the National Response Center +1 (800) 424-8802 is required. See Section 15 for more information.

Methods for Containment and Clean-Up:

Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Use neutralizing agent. Collect using an appropriate absorbent material such as clay or sand. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

• Reference to Other Sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022

Version 7

Revision Date: 10/31/2022

Product Identifier: Hydrochloric Acid 32-35%

See Section 13 for disposal information.

7 Handling and Storage

· Precautions for Safe Handling:

Ensure adequate ventilation.

Avoid inhalation and direct contact.

Wear appropriate personal protective equipment.

Do not mix with water without dilution and agitation to prevent potentially violent reaction.

Flammable and explosive hydrogen gas can be generated inside metal drums and storage tanks.

Concentrated acid can ignite combustible materials on contact. If water is added to acid, violent spattering can occur and considerable heat may be involved.

· Protection Against Fires and Explosions: No special measures required.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in closed, properly labeled containers.

Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.

· Additional Information:

If you do not understand the hazards or safety precautions described in this data sheet, contact your supervisor or safety administrator before handling this product.

8 Exposure Controls/Personal Protection

· Occupational Exposure Limits:

7647-01-0 hydrogen chloride

EL (Canada) Ceiling Limit Value: 2 ppm

EV (Canada) Ceiling Limit Value: 2 ppm

VLE (Mexico) Ceiling Limit Value: 2 ppm

A4

PEL (USA) Ceiling Limit Value: 7 mg/m³, 5 ppm

REL (USA) Ceiling Limit Value: 7 mg/m³, 5 ppm

TLV (USA) Ceiling Limit Value: 2 ppm

• Exposure Controls:

Use local exhaust ventilation during open transfers. Check ventilation for proper operation before starting work. Ensure emergency eyewash and shower facilities are available.

· Personal Protective Equipment:

A4

General Protective and Hygienic Measures:

Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Follow all safety precautions, posted signs and warnings. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

Respiratory Protection:

An industrial hygiene risk assessment is required to determine appropriate respiratory protection.

(Contd. on Page 5)

(Contd. from Page 3)

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022

Version 7

Revision Date: 10/31/2022

(Contd. from Page 4)

Product Identifier: Hydrochloric Acid 32-35%

An air-purifying respirator may be appropriate under limited exposure conditions.

Perform a respirator fit/seal check after donning.

Protection provided by air-purifying respirators is limited.

Wear a self-contained breathing apparatus (SCBA) if there is a potential for uncontrolled release, exposure levels are not known, or in other circumstances where air-purifying respirators may not provide adequate protection.

Hand Protection:



Chemical resistant gloves.

Wear a second pair of chemical resistant gloves for added protection. Tape gloves to coveralls or suit, if worn. Use caution when removing gloves to avoid exposure to hazardous chemicals.

Eye/Face Protection:



Safety glasses with side shields.

Splash goggles/mono-goggles recommended during tasks with high potential for exposure. Safety glasses

Body Protection:

Tasks with a high probability for splashing or skin contact may require: Chemical resistant coveralls or apron. Heavy duty chemical resistant boots.

· Additional Information:

If unusual exposures are expected, an industrial hygiene review of work practices, engineering controls and personal protective equipment is recommended.

9 Physical/Chemical Properties

· Information on Basic Physical and Chemical Properties

 <u>Appearance:</u> <u>Physical State:</u> 	Liquid
<u>Color:</u>	Colorless
· <u>Odor:</u>	Odorless
· Odor Threshold:	Not determined.
· <u>pH:</u>	Strongly acidic
· Melting Point/Freezing Point:	Not determined.
· Boiling Point:	85 °C (185 °F)
· Flash Point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Autoignition Temperature:	Not determined.

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022	Version 7	Revision Date: 10/31/2022
Product Identifier: Hydrochloric Acid 32-35%		
		(Contd. from Page 5)
· Decomposition Temperature:	Not determined.	
· Auto-Ignition Temperature:	Not determined.	
· Explosion Limits:		
Lower Explosive Limit (LEL):	Not determined.	
Upper Explosive Limit (UEL):	Not determined.	
· Vapor Pressure:	Not determined.	
· <u>Density:</u>	Not determined.	
· Vapor Density:	Not determined.	
· Evaporation Rate:	Not determined.	
· <u>Solubility:</u>		
Water:	Not determined.	
· Partition Coefficient (n-octanol/wate	er): Not determined.	
· <u>Viscosity:</u>	Not determined.	
· Other Information:	No further relevant information available.	

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical Stability: Stable if used and stored according to the specifications listed below.
- · Conditions to Avoid:

Keep away from heat, sparks and open flames. Keep away from incompatible materials. Do not mix with water without dilution and agitation to prevent potentially violent reaction. Do not mix with acids, ammonia, alcohol, ethers or hydrocarbons.

· Possibility of Hazardous Reactions/Incompatible Materials:

Keep away from strong acids and bases. Keep away from strong oxidizers.

Contact with incompatible materials may release irritating or toxic gases and vapors.

Hazardous Decomposition Products:

Decomposes when heated. Decomposition products may cause containers to rupture or explode. May react vigorously with organic materials. Depending on temperature and concentration, decomposition products may include hypochlorous acid, sodium oxide, chlorine gas, sodium chlorate and oxygen. Sodium chlorate crystals may cause fire or explosion if subjected to friction or impact.

11 Toxicological Information

- · Acute Toxicity:
- · Relevant LD/LC50 Values:
- 7647-01-0 hydrogen chloride

Oral LD50 900 mg/kg (rabbit)

(Contd. on Page 7)

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022

Version 7

Revision Date: 10/31/2022

Product Identifier: Hydrochloric Acid 32-35%

(Contd. from Page 6)

- <u>Skin Irritation</u>: Causes severe skin burns and eye damage.
- · Eye Irritation: Causes serious eye damage.
- · Respiratory Irritation: Corrosive to the respiratory tract.
- · Respiratory or Skin Sensitization: No data available.
- Subacute to Chronic Toxicity:
- · Carcinogen Classification:
- <u>Substances Classified by IARC (International Agency for Research on Cancer):</u> All components have the value 3.
- · Information on Other Hazards:
- Endocrine Disrupting Properties: None of the ingredients is listed.

12 Ecological Information

- · Aquatic Toxicity: Not determined.
- · Persistence and Degradability: Not determined.
- · Bioaccumulative Potential: Not determined.
- Mobility in Soil: No further relevant information available.
- Endocrine Disrupting Properties: The product does not contain substances with endocrine disrupting properties.

13 Disposal Considerations

· Disposal Instructions:

Keep spilled material out of sewage/drainage systems and waterways. Maximize product recovery for reuse or recycling. Waste materials may be hazardous due to the pH/corrosivity. Dispose of waste in accordance with applicable laws and regulations.

· Additional Information:

It is the responsibility of the product user to determine at the time of disposal whether a material containing or derived from this product should be classified as hazardous waste.

*14 Transport Information	ransport Information	
· UN Number:		
· DOT, ADR, IMDG, IATA	UN1789	
· UN Proper Shipping Name:		
· <u>DOT:</u>	Hydrochloric acid solution	
· ADR:	1789 HYDROCHLORIC ACID solution	
		(Contd. on Page 8)

Safety Data Sheet according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

te Printed: 10/31/2022	Version 7 Revision Date: 10/31/20
oduct Identifier: Hydrochloric Acid 32-3	5%
	(Contd. from Page
· IMDG, IATA	HYDROCHLORIC ACID solution
· Transport Hazard Class(es):	
· <u>DOT:</u>	
CORROSIVE 3	
· <u>Class:</u>	8 Corrosive substances
· Label:	8
· <u>ADR, IMDG, IATA</u>	
· <u>Class:</u>	8 Corrosive substances
Label:	8
Packing Group:	
· DOT, ADR, IMDG, IATA	II
Environmental Hazards:	Not applicable.
Marine Pollutant:	No
· Special Precautions:	Warning: Corrosive substances
· Danger Code (Kemler):	80
EMS Number:	F-A,S-B
· Segregation Groups:	(SGG1) Acids
· Stowage Category	E
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code:	I <u>I of</u> Not applicable.
Additional Information:	
DOT:	
· Quantity Limitations:	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· <u>Remarks:</u>	Shippers must consult transportation regulations for packaging instructions, quantity limitations and other regulatory information applicable to the desired mode of transport.
ADR:	
· Excepted Quantities (EQ):	Code: E2 Maximum pat quantity par inpar packaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Tunnel Restriction Code:	E (Contrd on Pogo
	(Contd. on Page

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022Version 7Revision Date: 10/31/2022

Product Identifier: Hydrochloric Acid 32-35%

	(Contd. from Page 8)
· IMDG:	
 Limited Quantities (LQ): 	1L
 Excepted Quantities (EQ): 	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, II

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- <u>U.S. Superfund Amendments & Reauthorization Act (SARA) 355 (Extremely Hazardous Substances):</u> All ingredients are listed.
- U.S. Superfund Amendments & Reauthorization Act (SARA) 313 (Specific Toxic Chemical Listings): All ingredients are listed.
- <u>U.S. Environmental Protection Agency Reportable Quantity:</u> 7647-01-0 hydrogen chloride: 5,000 lbs.
- · U.S. Toxic Substances Control Act (TSCA):
- All components have the value ACTIVE.
- <u>Hazardous Air Pollutants</u> All ingredients are listed.
- · California Proposition 65:

• California Proposition 65 Carcinogens: None of the ingredients is listed.

- <u>New Jersey Right-to-Know List:</u> All ingredients are listed.
- <u>New Jersey Special Hazardous Substance List:</u> All components have the value CO, R1.
- · Pennsylvania Right-to-Know List:
- All ingredients are listed.
- · Pennsylvania Special Hazardous Substance List:

All components have the value E.

- · Carcinogen Categories:
- · ACGIH (American Conference of Governmental Industrial Hygienists) Carcinogens:

All components have the value A4.

- · Canadian Substance Listings:
- <u>Canadian Domestic Substances List (DSL):</u> All ingredients are listed.
- <u>Canadian Non-Domestic Substances List (NDSL)</u>

None of the ingredients is listed.

(Contd. on Page 10)

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022

Version 7

Revision Date: 10/31/2022

Product Identifier: Hydrochloric Acid 32-35%

(Contd. from Page 9)

· Canadian Ingredient Disclosure List (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure List (limit 1%):

All ingredients are listed.

GHS Label Elements:

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard Pictograms:



· Signal Word: DANGER

· Hazard Statements:

H318 Causes serious eye damage H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

· Precautionary Statements:

•	· Flecaulionaly Statements.		
	P260	Do not breathe dusts or mists.	
	P264	Wash thoroughly after handling.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/	
		shower.	
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
		present and easy to do. Continue rinsing.	
	P315	Get immediate medical attention.	
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
	P501	Dispose of contents/container in accordance with local regulations.	
		-	

· Additional Precautionary Statements: See Section 2.

· Chemical Safety Assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Formosa Plastics Corporation, U.S.A. at the time it was prepared. Formosa Plastics Corporation, U.S.A. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, Formosa Plastics Corporation, U.S.A. and its subsidiaries cannot guarantee that these are the only hazards that exist. Formosa Plastics Corporation, U.S.A. assumes no legal responsibility for loss, damage or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.

· Department Issuing Safety Data Sheet: Corporate Environment, Health & Safety

· Abbreviations & Acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 10/31/2022

Version 7

Revision Date: 10/31/2022

(Contd. from Page 10)

Product Identifier: Hydrochloric Acid 32-35%

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity – Category 4 Skin Corrosion 1B: Skin corrosion/irritation – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

• Sources & References: * - Indicates that data has been updated from the previous version.

- NAE -