

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

1 Identification of the Substance/Mixture and of the Company/Undertaking

• **Product Identifier:** Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

• **Synonyms:** Bleach

• **Product Application:**

Cleaning agent/ Cleaner

Chlorination reagent

Disinfectant

• **Manufacturer/Supplier:**

Formosa Plastics Corporation, Texas

201 Formosa Drive

Point Comfort, TX 77978 USA

+1 (361) 987-7000

E-Mail: MSDS@fpcusa.com

• **Emergency Telephone Number:**

In case of a chemical emergency, contact CHEMTREC (24 hrs) at:

+1 (800) 424-9300 (United States, Canada, Puerto Rico, Virgin Islands)

+1 (703) 527-3887 (International & Maritime)

2 Hazards Identification

• **Classification of the Substance or Mixture:**

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

Aquatic Acute 1 H400 Very toxic to aquatic life.

• **Hazard Pictograms:**



GHS05 GHS09

• **Signal Word:** DANGER

• **Hazard Statements:**

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

• **Precautionary Statements:**

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical attention.

P405 Store locked up.

(Contd. on Page 2)

— NAE —

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 1)

- P501 Dispose of contents/container in accordance with local regulations.
 • **Additional Precautionary Statements:** P363 Wash contaminated clothing before reuse.

• NFPA Ratings (scale 0 - 4):

• Additional Information:

If you do not understand the hazards or safety precautions described in this data sheet, contact your supervisor or safety administrator before handling this product.

3 Composition/Information on Ingredients

• Chemical Characterization: Mixtures
• CAS No. Description

| | |
|--|--------|
| 7681-52-9 sodium hypochlorite, solution | 10-20% |
| ⚠ Skin Corrosion 1B, H314; ⚠ Aquatic Acute 1, H400 | |
| 1310-73-2 sodium hydroxide | ≤5% |
| ⚠ Skin Corrosion 1A, H314; ⚠ Acute Toxicity - Oral 4, H302 | |

4 First Aid Measures

• General information:

Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas.

• After Inhalation:

Remove victim to fresh air.
 Administer oxygen if breathing is difficult.
 Administer artificial respiration if breathing has stopped.
 Onset of symptoms may be delayed up to 48 hours.
 Get immediate medical attention.

• After Skin Contact:

Remove contaminated clothing and shoes. Wash affected area with soap and water.
 Use caution to avoid spreading contamination while washing.
 Delayed skin damage is possible if product is not completely washed off.
 Get immediate medical attention.

• After Eye Contact:

In case of accidental contact, immediately flush eyes with water.
 Hold eyelids open to ensure adequate flushing.
 Remove contact lenses, if present and easy to do. Continue rinsing.
 Get immediate medical attention.

• After Swallowing:

Rinse mouth.
 Administer 1-2 glasses of water to dilute ingested material.
 Do NOT induce vomiting.

(Contd. on Page 3)

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 2)

Never give anything by mouth to an unconscious person.
Get immediate medical attention.

- **Most Important Symptoms and Effects:** No further relevant information available.
 - **Additional Information:**
Information for Doctor: Probable mucosal damage may contraindicate the use of gastric lavage.
-

5 Firefighting Measures

- **Suitable Extinguishing Agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
 - **Special Firefighting Hazards:**
Decomposes when heated. Decomposition products may cause containers to rupture or explode. May react vigorously with organic materials. Depending on temperature and concentration, decomposition products may include hypochlorous acid, sodium oxide, chlorine gas, sodium chlorate and oxygen. Sodium chlorate crystals may cause fire or explosion if subjected to friction or impact.
 - **Protective Equipment:**
In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved self-contained breathing apparatus (SCBA) and full protective clothing.
 - **Additional Information:** Evacuate all non-essential personnel from the danger area.
-

6 Accidental Release Measures

- **Personal Precautions, Protective Equipment and Emergency Procedures:**
In case of a spill or other accidental release of this material, contact your supervisor, safety administrator, or emergency response team immediately.
Restrict access to keep out unauthorized or unprotected personnel.
Stay upwind of spilled material.
Wear appropriate personal protective equipment during all clean-up activities. See Section 8 for more information.
Avoid inhalation and direct contact.
All clean-up personnel must be properly trained.
- **Environmental Precautions:**
Keep spilled material out of sewage/drainage systems and waterways.
This product contains a U.S. EPA Reportable Quantity (RQ) substance. If amounts exceeding the Reportable Quantity are released, notification of the National Response Center +1 (800) 424-8802 is required. See Section 15 for more information.
- **Methods for Containment and Clean-Up:**
Ensure adequate ventilation.
Secure the source of the leak if conditions are safe.
Use neutralizing agent.
Collect using an appropriate absorbent material such as clay or sand.
Place waste in an appropriate container for disposal.
Use care during clean-up to avoid exposure to the material and injury from broken containers.
- **Reference to Other Sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protective equipment.

(Contd. on Page 4)

— NAE —

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 3)

See Section 13 for disposal information.

7 Handling and Storage

- **Precautions for Safe Handling:**

Ensure adequate ventilation.

Avoid inhalation and direct contact.

Wear appropriate personal protective equipment.

Do not mix with water without dilution and agitation to prevent potentially violent reaction.

Do not mix with acids, ammonia, alcohol, ethers or hydrocarbons.

- **Protection Against Fires and Explosions:** No special measures required.

- **Information about storage in one common storage facility:** Do not store together with acids.

- **Conditions for Safe Storage, Including Any Incompatibilities:**

Store in closed, properly labeled containers.

Protect containers from heat, physical damage, ignition sources and incompatible materials.

Have emergency equipment for fires and spills readily available.

- **Additional Information:**

If you do not understand the hazards or safety precautions described in this data sheet, contact your supervisor or safety administrator before handling this product.

8 Exposure Controls/Personal Protection

- **Occupational Exposure Limits:**

7681-52-9 sodium hypochlorite, solution

WEEL (USA) Short-Term Value: 2 mg/m³

1310-73-2 sodium hydroxide

EL (Canada) Ceiling Limit Value: 2 mg/m³

EV (Canada) Ceiling Limit Value: 2 mg/m³

VLE (Mexico) Ceiling Limit Value: 2 mg/m³

PEL (USA) Eight-Hour Value: 2 mg/m³

REL (USA) Ceiling Limit Value: 2 mg/m³

TLV (USA) Ceiling Limit Value: 2 mg/m³

- **Exposure Controls:**

Use local exhaust ventilation during open transfers.

Check ventilation for proper operation before starting work.

Ensure emergency eyewash and shower facilities are available.

- **Personal Protective Equipment:**

- **General Protective and Hygienic Measures:**

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Follow all safety precautions, posted signs and warnings.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- **Respiratory Protection:**

An industrial hygiene risk assessment is required to determine appropriate respiratory protection.

(Contd. on Page 5)

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 4)

An air-purifying respirator may be appropriate under limited exposure conditions.

Perform a respirator fit/seal check after donning.

Protection provided by air-purifying respirators is limited.

Wear a self-contained breathing apparatus (SCBA) if there is a potential for uncontrolled release, exposure levels are not known, or in other circumstances where air-purifying respirators may not provide adequate protection.

· **Hand Protection:**



Chemical resistant gloves.

Work gloves may be worn over chemical resistant gloves.

Wear a second pair of chemical resistant gloves for added protection.

Tape gloves to coveralls or suit, if worn.

Use caution when removing gloves to avoid exposure to hazardous chemicals.

· **Eye/Face Protection:**



Safety glasses with side shields.

Splash goggles/mono-goggles recommended during tasks with high potential for exposure.

· **Body Protection:**

Lab coat recommended for small scale operations.

Tasks with a high probability for splashing or skin contact may require:

Chemical resistant coveralls or apron.

Heavy duty chemical resistant boots.

· **Additional Information:**

If unusual exposures are expected, an industrial hygiene review of work practices, engineering controls and personal protective equipment is recommended.

9 Physical/Chemical Properties

· **Information on Basic Physical and Chemical Properties**

· **Appearance:**

Physical State: Liquid

Color: Light yellow

· **Odor:** Pungent

· **Odor Threshold:** Not determined

· **pH at 20 °C (68 °F):** 12.5

· **Melting Point/Freezing Point:** Not determined.

· **Boiling Point:** Not determined.

· **Flash Point:** Not applicable

· **Flammability:** Not applicable

· **Autoignition Temperature:** Not determined.

(Contd. on Page 6)

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 5)

- **Decomposition Temperature:** Not determined
- **Auto-Ignition Temperature:** Not determined
- **Explosion Limits:**
 - **Lower Explosive Limit (LEL):** Not determined
 - **Upper Explosive Limit (UEL):** Not determined
- **Vapor Pressure at 20 °C (68 °F):** 20 hPa (15 mm Hg)
- **Density:** Not determined
- **Vapor Density at 20 °C (68 °F):** 2.6 g/cm³ (21.7 lbs/gal) (air = 1)
- **Evaporation Rate:** Not determined
- **Solubility:**
 - **Water:** Not determined
- **Partition Coefficient (n-octanol/water):** Not determined
- **Viscosity:** Not determined.
- **Other Information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical Stability:** Stable if used and stored according to the specifications listed below.
- **Conditions to Avoid:**
 - Decomposes with age.
 - Keep away from heat, sparks and open flames.
 - Keep away from incompatible materials.
 - Do not mix with water without dilution and agitation to prevent potentially violent reaction.
 - Do not mix with acids, ammonia, alcohol, ethers or hydrocarbons.
- **Possibility of Hazardous Reactions/Incompatible Materials:**
 - Keep away from strong acids and bases.
 - Keep away from strong oxidizers.
 - Contact with acids releases toxic gases.
- **Hazardous Decomposition Products:**
 - Decomposes when heated. Decomposition products may cause containers to rupture or explode. May react vigorously with organic materials. Depending on temperature and concentration, decomposition products may include hypochlorous acid, sodium oxide, chlorine gas, sodium chlorate and oxygen. Sodium chlorate crystals may cause fire or explosion if subjected to friction or impact.

11 Toxicological Information

- **Acute Toxicity:** No data available.

(Contd. on Page 7)

—NAE—

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 6)

· **Relevant LD/LC50 Values:**

7681-52-9 sodium hypochlorite, solution

Oral LD50 5,800 mg/kg (mouse)

- **Skin Irritation:** Causes severe skin burns and eye damage.
- **Eye Irritation:** Causes serious eye damage.
- **Respiratory Irritation:** May cause respiratory irritation.
- **Respiratory or Skin Sensitization:** No data available.
- **Subacute to Chronic Toxicity:** No data available.
- **Endocrine Disrupting Properties:**
None of the ingredients is listed.

12 Ecological Information

- **Aquatic Toxicity:** Toxic to aquatic life.
- **Persistence and Degradability:** No data available.
- **Bioaccumulative Potential:** No data available.
- **Mobility in Soil:** No further relevant information available.
- **Endocrine Disrupting Properties:**
The product does not contain substances with endocrine disrupting properties.

13 Disposal Considerations

- **Disposal Instructions:**
Keep spilled material out of sewage/drainage systems and waterways.
Maximize product recovery for reuse or recycling.
Waste materials may be hazardous due to the pH/corrosivity.
Dispose of waste in accordance with applicable laws and regulations.
- **Additional Information:**
It is the responsibility of the product user to determine at the time of disposal whether a material containing or derived from this product should be classified as hazardous waste.

14 Transport Information

- **UN Number:**
- **DOT, ADR, IMDG, IATA** UN1791
- **UN Proper Shipping Name:**
- **DOT:** RQ Hypochlorite solutions
- **ADR:** 1791 HYPOCHLORITE SOLUTION, MARINE POLLUTANT/
ENVIRONMENTALLY HAZARDOUS
- **IMDG:** HYPOCHLORITE SOLUTION, MARINE POLLUTANT

(Contd. on Page 8)

— NAE —

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 7)

· **IATA:** HYPOCHLORITE SOLUTION

· **Transport Hazard Class(es):**

· **DOT:**



· **Class:** 8 Corrosive substances

· **Label:** 8

· **ADR, IMDG**



· **Class:** 8 Corrosive substances

· **Label:** 8

· **IATA:**



· **Class:** 8 Corrosive substances

· **Label:** 8

· **Packing Group:**

· **DOT, ADR, IMDG, IATA** III

· **Environmental Hazards:**

· **Marine Pollutant:** Yes
Symbol (fish and tree)

· **DOT Marine Pollutant:**
7681-52-9 sodium hypochlorite, solution

· **Special Marking (ADR):** Symbol (fish and tree)

· **Special Precautions:** Warning: Corrosive substances

· **EMS Number:** F-A,S-B

· **Segregation Groups:** (SGG8) Hypochlorites

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable

· **Additional Information:**

· **DOT:**

· **Remarks:** This product contains a U.S. EPA Reportable Quantity (RQ)

(Contd. on Page 9)

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 8)

substance. If amounts exceeding the Reportable Quantity are released, notification of the National Response Center +1 (800) 424-8802 is required. See Section 15 for more information.

Shippers must consult transportation regulations for packaging instructions, quantity limitations and other regulatory information applicable to the desired mode of transport.

- **ADR:**

- **Excepted Quantities (EQ):**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

- **UN "Model Regulation":**

UN 1791 HYPOCHLORITE SOLUTION, 8, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **U.S. Superfund Amendments & Reauthorization Act (SARA) 355 (Extremely Hazardous Substances):**

None of the ingredients is listed.

- **U.S. Superfund Amendments & Reauthorization Act (SARA) 313 (Specific Toxic Chemical Listings):**

None of the ingredients is listed.

- **U.S. Environmental Protection Agency Reportable Quantity:**

7681-52-9 sodium hypochlorite, solution: 100 lbs.

1310-73-2 sodium hydroxide: 1,000 lbs.

- **U.S. Toxic Substances Control Act (TSCA): ACTIVE**

- **Hazardous Air Pollutants**

None of the ingredients is listed.

- **California Proposition 65 Carcinogens:**

None of the ingredients is listed.

- **New Jersey Right-to-Know List:**

All ingredients are listed.

- **New Jersey Special Hazardous Substance List:**

7681-52-9 sodium hypochlorite, solution: CO

1310-73-2 sodium hydroxide: CO, R1

- **Pennsylvania Right-to-Know List:**

All ingredients are listed.

- **Pennsylvania Special Hazardous Substance List:**

All components have the value E.

(Contd. on Page 10)

— NAE —

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 9)

- **Canadian Substance Listings:**

- **Canadian Domestic Substances List (DSL):**

All ingredients are listed.

- **Canadian Non-Domestic Substances List (NDSL)**

None of the ingredients is listed.

- **Canadian Ingredient Disclosure List (limit 0.1%)**

None of the ingredients is listed.

- **Canadian Ingredient Disclosure List (limit 1%):**

All ingredients are listed.

- **GHS Label Elements:**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard Pictograms:**



GHS05 GHS09

- **Signal Word:** DANGER

- **Hazard Statements:**

H318 Causes serious eye damage

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

- **Precautionary Statements:**

P260 Do not breathe dusts or mists.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

- **Additional Precautionary Statements:** See Section 2.

- **Chemical Safety Assessment:** A Chemical Safety Assessment has not been carried out.

*16 Other Information

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Formosa Plastics Corporation, U.S.A. at the time it was prepared. Formosa Plastics Corporation, U.S.A. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, Formosa Plastics Corporation, U.S.A. and its subsidiaries cannot guarantee that these are the only hazards

(Contd. on Page 11)

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 04/17/2026

Version 5

Revision Date: 04/17/2026

Product Identifier: Sodium Hypochlorite Solution (10%, 12.5%, 12.5% MUP, 15.5%)

(Contd. from Page 10)

that exist. Formosa Plastics Corporation, U.S.A. assumes no legal responsibility for loss, damage or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.

· **Department Issuing Safety Data Sheet:** Corporate Environment, Safety, & Communications

· **Abbreviations & Acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

· **Sources & References:** * - Indicates that data has been updated from the previous version.

NAE