

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 03/09/2026


Version 9

Revision Date: 03/09/2026

1 Identification of the Substance/Mixture and of the Company/Undertaking

- **Product Identifier:** Formolon® Suspension PVC/PVA Copolymer
 - **Synonyms:** Polyvinyl Chloride-Polyvinyl Acetate Copolymer
 - **Product Code:**
F113, F172, F186
Discontinued Products: F165
 - **CAS Number:** 9003-22-9
 - **Product Application:** Resin, extrusion and compounding, plastic molding, molded articles, films and coatings.
 - **Manufacturer/Supplier:**
Formosa Plastics Corporation, Texas
201 Formosa Drive
Point Comfort, TX 77978 USA
+1 (361) 987-7000
E-Mail: MSDS@fpcusa.com
-
- **Emergency Telephone Number:**
In case of a chemical emergency, contact CHEMTREC (24 hrs) at:
+1 (800) 424-9300 (United States, Canada, Puerto Rico, Virgin Islands)
+1 (703) 527-3887 (International & Maritime)

2 Hazards Identification

- **Classification of the Substance or Mixture:**
Eye Irritation 2B H320 Causes eye irritation.
 - **Hazards Not Otherwise Classified:** Combustible dust. May form combustible dust concentrations in air.
 - **Hazard Pictograms:** Not applicable.
 - **Signal Word:** WARNING
 - **Hazard Statements:**
Combustible dust. May form combustible dust concentrations in air.
H320 Causes eye irritation.
 - **Precautionary Statements:**
P264 Wash thoroughly after handling.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical attention.
-
- **NFPA Ratings (scale 0 - 4):**

Health = 0
Fire = 1
Reactivity = 0
 - **Additional Information:**
If you do not understand the hazards or safety precautions described in this data sheet, contact your supervisor or safety administrator before handling this product.

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 03/09/2026

Version 9

Revision Date: 03/09/2026

Product Identifier: Formolon® Suspension PVC/PVA Copolymer

(Contd. from Page 1)

3 Composition/Information on Ingredients

· **Substances:**

· **CAS No. Description**

9003-22-9 polyvinyl chloride-polyvinyl acetate copolymer >99%

4 First Aid Measures

- **General information:** Provide symptomatic and supportive care.
- **After Inhalation:**
Remove victim to fresh air.
Administer oxygen if breathing is difficult.
Administer artificial respiration if breathing has stopped.
Get medical assistance if irritation or other symptoms develop.
- **After Skin Contact:**
Wash affected area with soap and water.
Get medical assistance if irritation or other symptoms develop.
- **After Eye Contact:**
In case of accidental contact, immediately flush eyes with water.
Hold eyelids open to ensure adequate flushing.
Get medical assistance if irritation or other symptoms develop.
- **After Swallowing:**
Administer 1-2 glasses of water to dilute ingested material.
Never give anything by mouth to an unconscious person.
Get medical attention.
- **Most Important Symptoms and Effects:** No further relevant information available.

5 Firefighting Measures

- **Suitable Extinguishing Agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
- **Special Firefighting Hazards:** Combustible dust. May form combustible dust concentrations in air.
- **Dust Explosivity (Kst) Rating:** St 1 - Weak to moderate explosive dust (Kst = 0-200 bar-meter/second)
- **Protective Equipment:**
In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved self-contained breathing apparatus (SCBA) and full protective clothing.

6 Accidental Release Measures

- **Personal Precautions, Protective Equipment and Emergency Procedures:**
Avoid dust formation.
Restrict access to keep out unauthorized or unprotected personnel.
Wear appropriate personal protective equipment during all clean-up activities. See Section 8 for more information.
Avoid inhalation and direct contact.

(Contd. on Page 3)

— NAE —

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 03/09/2026

Version 9

Revision Date: 03/09/2026

Product Identifier: Formolon® Suspension PVC/PVA Copolymer

(Contd. from Page 3)

- **Exposure Controls:** Use local exhaust ventilation during dust or mist producing operations.
- **Personal Protective Equipment:**
- **General Protective and Hygienic Measures:** Wash thoroughly after handling.
- **Respiratory Protection:**
An industrial hygiene risk assessment is required to determine appropriate respiratory protection.
- **Hand Protection:**



Work gloves.

- **Eye/Face Protection:**



Safety glasses with side shields.

- **Body Protection:** Protective work clothing
 - **Additional Information:**
If unusual exposures are expected, an industrial hygiene review of work practices, engineering controls and personal protective equipment is recommended.
-

9 Physical/Chemical Properties

- **Information on Basic Physical and Chemical Properties**

- **Appearance:**

Physical State:	Powder
------------------------	--------

Color:	White
---------------	-------

- **Odor:** Odorless

- **Odor Threshold:** Not determined

- **pH:** Not applicable

- **Melting Point/Freezing Point:** Not determined.

- **Boiling Point:** Not determined.

- **Flash Point:** Not applicable

- **Flammability:** Product is not flammable.

- **Autoignition Temperature:** Not determined.

- **Auto-Ignition Temperature:** Not determined

- **Explosion Limits:**

Lower Explosive Limit (LEL):	Not applicable.
-------------------------------------	-----------------

Upper Explosive Limit (UEL):	Not applicable.
-------------------------------------	-----------------

- **Vapor Pressure:** Not determined

(Contd. on Page 5)

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 03/09/2026

Version 9

Revision Date: 03/09/2026

Product Identifier: Formolon® Suspension PVC/PVA Copolymer

(Contd. from Page 4)

- **Density:** Not determined
 - **Vapor Density:** Not determined
 - **Evaporation Rate:** Not determined
 - **Solubility:**
 - **Water:** Insoluble.
 - **Partition Coefficient (n-octanol/water):** Not determined
 - **Viscosity:** Not determined.
 - **Other Information:** No further relevant information available.
-

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
 - **Chemical Stability:** Stable if used and stored according to the specifications listed below.
 - **Conditions to Avoid:**
Combustible dust. May form combustible dust concentrations in air.
Avoid dust formation.
 - **Possibility of Hazardous Reactions/Incompatible Materials:** No dangerous reactions known.
 - **Hazardous Decomposition Products:** No data available.
-

*11 Toxicological Information

- **Acute Toxicity:** Based on available data, the classification criteria are not met.
 - **Skin Irritation:** Based on available data, the classification criteria are not met.
 - **Eye Irritation:**
Causes eye irritation.
Eye irritant effects are based on extrapolation from the hazards of the ingredients combined with FPC USA's experience during occupational handling.
 - **Respiratory Irritation:** May cause respiratory irritation.
 - **Respiratory or Skin Sensitization:** No data available.
 - **Subacute to Chronic Toxicity:** No data available.
 - **Carcinogen Classification:**
 - **Substances Classified by IARC (International Agency for Research on Cancer):** 3
 - **Endocrine Disrupting Properties:** Substance is not listed.
-

12 Ecological Information

- **Persistence and Degradability:** No data available.
- **Bioaccumulative Potential:** No data available.

(Contd. on Page 6)

— NAE —

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 03/09/2026

Version 9

Revision Date: 03/09/2026

Product Identifier: Formolon® Suspension PVC/PVA Copolymer

(Contd. from Page 5)

- **Mobility in Soil:** No further relevant information available.
- **Endocrine Disrupting Properties:**
The product does not contain substances with endocrine disrupting properties.

13 Disposal Considerations

- **Disposal Instructions:**
Dispose of waste in accordance with applicable laws and regulations.
Maximize product recovery for reuse or recycling.

14 Transport Information

- **UN Number:**
- **ADR, ADN, IMDG, IATA** Not applicable.

- **UN Proper Shipping Name:**
- **DOT, ADR, ADN, IMDG, IATA** Not applicable.

- **Transport Hazard Class(es):**
- **ADR, ADN, IMDG, IATA**
- **Class:** Not applicable.

- **Packing Group:**
- **ADR, IMDG, IATA** Not applicable.

- **Environmental Hazards:** Not applicable

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable

- **Additional Information:** This product is not regulated as a hazardous material/dangerous good for transportation.
- **UN "Model Regulation":** Not applicable.

*15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **U.S. Superfund Amendments & Reauthorization Act (SARA) 355 (Extremely Hazardous Substances):**
Substance is not listed.
- **U.S. Superfund Amendments & Reauthorization Act (SARA) 313 (Specific Toxic Chemical Listings):**
Substance is not listed.
- **U.S. Toxic Substances Control Act (TSCA):** ACTIVE
- **Hazardous Air Pollutants** Substance is not listed.
- **California Proposition 65 Carcinogens:**
PVC resin contains minor amounts of residual vinyl chloride monomer (RVCM). Vinyl chloride is listed as a carcinogen under Proposition 65. Additional information on RVCM is available on the certificate of analysis provided with each shipment.

(Contd. on Page 7)

— NAE —

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 03/09/2026

Version 9

Revision Date: 03/09/2026

Product Identifier: Formolon® Suspension PVC/PVA Copolymer

(Contd. from Page 6)

PVC resin contains minor amounts of residual vinyl acetate monomer. Vinyl acetate is listed as a carcinogen under Proposition 65.

75-01-4 vinyl chloride

108-05-4 vinyl acetate

- **New Jersey Right-to-Know List:** Substance is not listed.
- **New Jersey Special Hazardous Substance List:** Substance is not listed.
- **Pennsylvania Right-to-Know List:** Substance is not listed.
- **Pennsylvania Special Hazardous Substance List:** Substance is not listed.
- **Canadian Substance Listings:**
- **Canadian Domestic Substances List (DSL):** Substance is listed.
- **Canadian Non-Domestic Substances List (NDSL)** Substance is not listed.
- **Canadian Ingredient Disclosure List (limit 0.1%)** Substance is not listed.
- **Canadian Ingredient Disclosure List (limit 1%):** Substance is not listed.
- **GHS Label Elements:**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard Pictograms:** Not applicable.
- **Signal Word:** WARNING
- **Hazard Statements:**
Combustible dust. May form combustible dust concentrations in air.
H320 Causes eye irritation.
- **Precautionary Statements:**
P264 Wash thoroughly after handling.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical attention.
- **Chemical Safety Assessment:** A Chemical Safety Assessment has not been carried out.

*16 Other Information

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Formosa Plastics Corporation, U.S.A. at the time it was prepared. Formosa Plastics Corporation, U.S.A. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, Formosa Plastics Corporation, U.S.A. and its subsidiaries cannot guarantee that these are the only hazards that exist. Formosa Plastics Corporation, U.S.A. assumes no legal responsibility for loss, damage or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.

- **Department Issuing Safety Data Sheet:** Corporate Environment, Safety, & Communications
- **Abbreviations & Acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on Page 8)

Safety Data Sheet

according to OSHA HCS, NOM 018-STPS-2015, HPR Schedule 1

Date Printed: 03/09/2026

Version 9

Revision Date: 03/09/2026

Product Identifier: Formolon® Suspension PVC/PVA Copolymer

(Contd. from Page 7)

NFPA: National Fire Protection Association (USA)
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B

· **Sources & References:** * - Indicates that data has been updated from the previous version.

— NAE —